


TACTILE INDICATORS & STAIR NOSING

Various styles can be customized



Supplying Tactiles, Stair Nosing and Safety products Since 2006



TACTILE INDICATORS DISPLAY



Products Catalogue

TGSI

1. Stainless steel tactile indicator
2. Carbrondum tactile indicator
3. Brass tactile indicator
4. **Directional**
5. **Rubber/Polyurethane mat**
6. **Stainless steel pad**

Stair nosings

Other products



CUSTOMIZATION OF VARIOUS TACTILE INDICATORS & DIRECTIONAL

Supplying Tactiles, Stair Nosing and Safety products Since 2006

About us

Ningbo Safetyflooring is a branch of Hygoal Group specialising in manufacturing of tactile indicator to aid persons with vision impairments. We have over 13 years experience in making tactile indicators. With the advanced equipments and qualified technical personnel, we can design and produce any TGSI, guarantee the high quality, the high grade production process. Material of our TGSI includes: Marine Grade stainless steel, brass, aluminium, environmental friendly rubber and Polyurethane . Our Stainless Steel Tactile Indicators are a one piece stainless steel design and are manufactured from a solid piece of 316 Stainless steel, with the SueSteel enhancement process. The tactile head won't separate from it's anchor.

Our main market : Australia, New Zealand, North America, France, the UK and the other European countries.

Our factory is located in Ningbo, it is about 2 hours from Shanghai and Hangzhou to our factory, welcome to visit us.

We supply a quality service with a quality product at a quality price.



Classic Stainless Warning TGS



Specifications

- 1.Item: SF101
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm, with 12*5.8mm SS stem.
- 4.Packing: 500pcs/ctn; Bulk.



Specifications

- 1.Item: SF101D
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm, with 12*5.8mm SS stem, with a clear plug 18.5*8.5mm;
- 4.Packing: 500pcs/ctn; Bulk.



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF101E
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm, with 12*5.8mm SS stem.
- 4.Packing: 500pcs/ctn; Bulk.



Specifications

- 1.Item: SF101E-D
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm, with 12*5.8mm SS stem, with a clear plug 18.5*8.5mm;
- 4.Packing: 500pcs/ctn; Bulk.



Classic Stainless Warning TGS



Specifications

- 1.Item: SF104
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:1000pcs/ctn; Bulk.



Specifications

- 1.Item: SF104 3M
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:600pcs/ctn; Bulk.




Classic Stainless Warning TGSi



Specifications

- 1.Item: SF174
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:1000pcs/ctn; Bulk.



Specifications

- 1.Item: SF121
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:1000pcs/ctn; Bulk.



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF105 Carpet tactile
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm with a screw and plug
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF120 Carpet tactile
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm with 10*6 stem for M5 /M6 screw.
- 4.Packing:500pcs/ctn; Bulk;



Classic Stainless Warning TGS



Specifications

- 1.Item: SF106
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF108 PVD
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm
- 4.Packing:500pcs/ctn; Bulk;



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF109
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm, with 25*6.0mm SS stem.
- 4.Packing: 500pcs/ctn; Bulk.




Specifications

- 1.Item: SF109D
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm, with 25*5.8mm SS stem with 30*8.5mm clear plug.
- 4.Packing: 600pcs/ctn; Bulk.



Classic Stainless Warning TGS



Specifications

- 1.Item: SF109E
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm, with 25*6.0mm SS stem.
- 4.Packing: 500pcs/ctn; Bulk.



Specifications

- 1.Item: SF109A
- 2.Material: 316L Stainless steel
- 3.Product Size: 35*25*4.5 mm, with 25*5.8mm SS stem .
- 4.Packing: 600pcs/ctn; Bulk.



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF110
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 13*6mm SS stem.
- 4.Packing:360pcs/ctn; Bulk.



Specifications

- 1.Item: SF110D
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*5.8mm SS stem. with a clear plug 18.5*8.5mm;
- 4.Packing:320pcs/ctn; Bulk.



Classic Stainless Warning TGS



Specifications

- 1.Item: SF112
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 13*6mm SS stem.
- 4.Packing:360pcs/ctn; Bulk.



Specifications

- 1.Item: SF112P
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*5.8mm SS stem. with a clear plug 18.5*8.5mm;
- 4.Packing:320pcs/ctn; Bulk.



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF113
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*5.8mm SS stem.
- 4.Packing:320pcs/ctn; Bulk.



Specifications

- 1.Item: SF119
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 25*6.0mm SS stem
- 4.Packing:500pcs/ctn; Bulk.



Classic Stainless/Brass Warning TGSi



Specifications

- 1.Item: SF161
- 2.Material: Carb Top Black Infill Flatback Stainless
- 3.Product Size:35*25*4.5 mm, with 13*6mm SS stem.
- 4.Packing:500pcs/ctn; Bulk.



Specifications

- 1.Item: SF161D
- 2.Material:Carb Top Black Infill Flatback Stainless
- 3.Product Size:35*25*4.5 mm, with 12*5.85mm SS stem.
- 4.Packing:500pcs/ctn; Bulk.



Specifications

- 1.Item: SF161Y
- 2.Material:Carb Top YEL Infill Flatback Stainless
- 3.Product Size:35*25*4.5 mm, with 13*6mm SS stem.
- 4.Packing:500pcs/ctn; Bulk.



Specifications

- 1.Item: SF161D-Y
- 2.Material:Carb Top YEL Infill Flatback Stainless
- 3.Product Size:35*25*4.5 mm, with 12*5.85mm SS stem.
- 4.Packing:500pcs/ctn; Bulk.



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF162
- 2.Material:CarbTop Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:1000pcs/ctn; Bulk.



Specifications

- 1.Item: SF162 3M
- 2.Material:CarbTop Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:600pcs/ctn; Bulk.



Specifications

- 1.Item: SF162 3M
- 2.Material:CarbTop YEL Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:600pcs/ctn; Bulk.



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF170
- 2.Material: PU Top Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
with 20*8mm Poly stem,
- 4.Packing:500pcs/ctn; Bulk.



Specifications

- 1.Item: SF171
- 2.Material: PU Top Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
with 12*5.85mm SS stem.
- 4.Packing:500pcs/ctn; Bulk.



Specifications

- 1.Item: SF171D
- 2.Material: PU Top Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
with 12*5.85mm SS stem.
with a clear plug 18.5*8.5mm;
- 4.Packing:500pcs/ctn; Bulk.



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF171Y
- 2.Material: PU Top Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
with 13*6mm SS stem
- 4.Packing:500pcs/ctn; Bulk.



Specifications

- 1.Item: SF171D-Y
- 2.Material: PU Top Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
with 12*5.85mm SS stem.
with 12*5.85mm SS stem.
- 4.Packing:500pcs/ctn; Bulk.



Specifications

- 1.Item: SF171D-W
- 2.Material: PU Top Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
with 12*5.85mm SS stem.
with a clear plug 18.5*8.5mm;
- 4.Packing:500pcs/ctn; Bulk.



Classic Stainless Warning TGSi



Specifications

- 1.Item: SF172
- 2.Material: PU Top Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:1000pcs/ctn; Bulk.



Specifications

- 1.Item: SF172 3M
- 2.Material: PU Top Black Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:600pcs/ctn; Bulk.



Specifications

- 1.Item: SF172 3M
- 2.Material: PU Top White Infill
Flatback Stainless
- 3.Product Size:35*25*4.5 mm,
- 4.Packing:600pcs/ctn; Bulk.



Customized Stainless Warning TGS



Specifications

- 1.Item: SF146
- 2.Material: 316 Stainless steel + Black Polyurethane insert;
- 3.Product Size: 35*25*5mm with 20*10mm stem
- 4.Packing: 500pcs/ctn, Bulk.



Specifications

- 1.Item: SF147
- 1.Material: 316 Stainless steel
- 2.Product Size: 35*25*5mm with 13*6mm stem
- 3.Packing: 500pcs/ctn, Bulk.



Customized Stainless Warning TGSi



Specifications

- 1.Item: SF148
- 1.Material: 316 Stainless steel
+ Black Polyurethane insert;
- 2.Product Size:35*25*5mm with
20*10mm stem
- 3.Packing: 500pcs/ctn,Bulk.



Specifications

- 1.Item: SF149
- 1.Material: 316 Stainless steel
- 2.Product Size:35*25*5mm with
13*6mm stem
- 3.Packing: 500pcs/ctn,Bulk.



Cast type Warning TGSi



Specifications

- 1.Item: SF151
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*6mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF152
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*6mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF153
- 2.Material:316L Stainless steel
- 3.Product Size:25*14*4 mm,with 12*6mm SS stem.
- 4.Packing:500pcs/ctn; Bulk;



Cast type Warning TGSi



Specifications

- 1.Item: SF154
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*6mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF155
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*6mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF156
- 2.Material:316L Stainless steel
- 3.Product Size:25*14*4 mm,with 12*6mm SS stem.
- 4.Packing:500pcs/ctn; Bulk;



Customized Stainless Warning TGS



Specifications

- 1.Item: SF157
- 1.Material: 316 Stainless steel
+ Black Polyurethane insert;
- 2.Product Size:35*25*5mm with
20*10mm stem
- 3.Packing: 500pcs/ctn,Bulk.



Specifications

- 1.Item: SF158
- 2.Material: 316 Stainless steel
- 3.Product Size:35*25*4.5 mm,
with 12*5.8mm SS stem
- 4.Packing:360pcs/ctn; Bulk;



Cast type Warning TGSi



Specifications

- 1.Item: SF181
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*6mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF182
- 2.Material: 316L Stainless steel
- 3.Product Size:35*25*4.5 mm, with 12*6mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF183
- 2.Material:316L Stainless steel
- 3.Product Size:25*14*4 mm,with 12*6mm SS stem.
- 4.Packing:500pcs/ctn; Bulk;



Classic Brass Warning TGS



Specifications

- 1.Item: SF201
- 2.Material: Brass
- 3.Product Size: 35*25*4.5 mm, with 12*5.8mm SS stem, with a plug 20*8.5mm;
- 4.Packing: 500pcs/ctn; Bulk;



Specifications

- 1.Item: SF207
- 2.Material: Brass
- 3.Product Size: 35*25*4.5 mm, with 13*6mm SS stem,
- 4.Packing: 500pcs/ctn; Bulk;



Specifications

- 1.Item: SF205
- 2.Material: CarbTop Black/Yellow Infill Flatback Brass
- 3.Product Size: 35*25*4.5 mm, with 13*6mm SS stem
- 4.Packing: 500pcs/ctn; Bulk;



Classic Stainless Warning TGS



Specifications

- 1.Item: SF170A
- 2.Material: 316L Stainless steel
+ Black Polyurethane insert;
- 2.Product Size:35*25*4.5mm
with 18*9mm stem
- 3.Packing: 500pcs/ctn,Bulk.



Specifications

- 1.Item: SF170A
- 2.Material: 316L Stainless steel
+ Black Polyurethane insert;
- 2.Product Size:35*25*4.5mm
with 18*9mm stem
- 3.Packing: 500pcs/ctn,Bulk.



Classic polyurethane Warning TGSi




Specifications

- 1.Item: SF107A (Black)
- 2.Material:Polyurethane + 316L Stainless steel insert;
- 3.Product Size:35*25*4.5 mm, with 21*9mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF107A (Yellow)
- 2.Material:Polyurethane + 316L Stainless steel insert;
- 3.Product Size:35*25*4.5 mm, with 21*9mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Specifications

- 1.Item: SF107A (Red)
- 2.Material:Polyurethane + 316L Stainless steel insert;
- 3.Product Size:35*25*4.5 mm, with 21*9mm SS stem
- 4.Packing:500pcs/ctn; Bulk;



Classic polyurethane Warning TGSi



Ningbo Safetyflooring' Warning Discrete Polyurethane Tactile range are the ideal cost-effective product for a wide range of applications. Available in a variety of colours, they feature a P5 slip resistance rating.



Classic polyurethane Warning TGSi



Specifications

- 1.Item: SF301
- 2.Material:Polyurethane
- 3.Product Size:35*25*4.5 mm;
with 20*8mm Polyurethane stem,
- 4.Packing:1000pcs/ctn; Bulk;



Specifications

- 1.Item: SF303
- 2.Material:Polyurethane (all
colors range)
- 3.Product Size:35*25*4.5 mm
- 4.Packing:750pcs/ctn; Bulk;



Classic polyurethane Warning TGS



Specifications

- 1.Item: SF302
- 2.Material:Polyurethane (all colors range)
- 3.Product Size:35*25*4.5 mm
- 4.Packing:1000pcs/ctn; Bulk;



Specifications

- 1.Item: SF302(3M)
- 2.Material:Polyurethane(all colors range)
- 3.Product Size:35*25*4.5 mm;
- 4.Packing:750pcs/ctn; Bulk;



Classic polyurethane Warning TGS



Specifications

- 1.Item: SF309 (Black)
- 2.Material:Polyurethane
- 3.Product Size:35*25*4.5 mm;
with 20*8mm Polyurethane stem,
- 4.Packing:1000pcs/ctn; Bulk;



Specifications

- 1.Item: SF309 (Yellow)
- 2.Material:Polyurethane
- 3.Product Size:35*25*4.5 mm;
with 20*8mm Polyurethane stem,
- 4.Packing:1000pcs/ctn; Bulk;



Classic polyurethane Warning TGSi



Specifications

- 1.Item: SF304B
- 2.Material:Polyurethane
- 3.Product Size:35*25*4.5 mm;
with 20*8mm Polyurethane stem,
- 4.Packing:1000pcs/ctn; Bulk;



Specifications

- 1.Item: SF304Y
- 2.Material:Polyurethane (all
colors range)
- 3.Product Size:35*25*4.5 mm
- 4.Packing:750pcs/ctn; Bulk;



Specifications

- 1.Item: SF310
- 2.Material:Polyurethane(all
colors range)
- 3.Product Size:35*25*4.5 mm;
- 4.Packing:1000pcs/ctn; Bulk;



Polyurethane directional bar



Specifications

- 1.Item: SF402
- 2.Material:Polyurethane (all colors range)
- 3.Product Size:290x35x5mm with 20x10mm stem;
- 4.Packing:100pcs/ctn; Bulk;



Specifications

- 1.Item: SF401 (with stem) SF402 (without stem)
- 2.Material: Polyurethane (all colors range)
- 3.Size:290x35x5mm with/without stem.
- 4.Packing:100 pcs/ctn; Bulk;




Classic polyurethane mat



Specifications


- 1.Item: SF802 Directional
- 1.Material: Polyurethane
- 2.Product Size:300*300*7mm
- 3.Packing:25pcs/ctn,Bulk.



- 1.Item: SF801 Hazard
- 1.Material: Polyurethane
- 2.Product Size:300*300*7mm
- 3.Packing:25pcs/ctn,Bulk.




Classic polyurethane mat



Specifications

- 1.Item: SF803
- 1.Material: Polyurethane
- 2.Product Size:600*300*7mm
- 3.Packing:12pcs/ctn,Bulk.



Specifications

- 1.Item: SF805
- 1.Material: Polyurethane
- 2.Product Size:300*300*7mm
- 3.Packing:25pcs/ctn,Bulk.



Directional





Classic Stainless/Brass Directional



Specifications

- 1.Item: SF501 Silvery
CNC finishing
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm
with 2 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Specifications

- 1.Item: SF502 PVD Black
CNC finishing
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm
with stem
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF503-B
CNC finishing
(All colours Carborundum insert to meet the luminance contrast requirements)
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 2 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.2KG
- 6.Carton size: 30*30*20cm



Specifications

- 1.Item: SF503-Y
CNC finishing
(All colours Carborundum insert to meet the luminance contrast requirements)
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 2 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.2KG
- 6.Carton size: 30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF503-W
CNC finishing
(All colours Carborundum insert to meet the luminance contrast requirements)
- 2.Material: 316 Stainless steel
- 3.Product Size:285*35*5mm with 2 stems
- 4.Packing:90pcs/carton(blister)
- 5.Net Weight:0.2KG
- 6.Carton size:30*30*20cm



Specifications

- 1.Item: SF504 PVD Black
CNC finishing- Mirror polishing
- 2.Material: 316 Stainless steel
- 3.Product Size:285*35*5mm with stem
- 4.Packing:90pcs/carton(blister)
- 5.Net Weight:0.35KG
- 6.Carton size:30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF505
- 2.CNC finishing - Mirror polishing
- 3.Product Size: 285*35*5mm
- 4.Packing: 50pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Specifications

- 1.Item: SF506 PVD
- 2.CNC finishing- Mirror polishing
- 3.Product Size: 285*35*5mm
- 4.Packing: 50pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF507 Silvery
CNC finishing
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm
with 2 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Specifications

- 1.Item: SF508 Silvery
CNC finishing
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm
with 4 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF509
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 3 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Specifications

- 1.Item: SF510
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 3 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF511
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 3 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm




Specifications

- 1.Item: SF512
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 3 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm




Classic Stainless/Brass Directional



Specifications

- 1.Item: SF513
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 4 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Specifications

- 1.Item: SF514
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 4 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF515(Golden)
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 4 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Cartan size: 30*30*20cm



Specifications

- 1.Item: SF516(Golden)
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 4 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Cartan size: 30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF517
- Casting
- 2.Material: 316 Stainless steel
- 3.Product Size:285*35*5mm with 4 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm




Specifications

- 1.Item: SF518
- Casting
- 2.Material: 316 Stainless steel
- 3.Product Size:285*35*5mm with 3 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.35KG
- 6.Carton size: 30*30*20cm



Classic Stainless/Brass Directional



Specifications

- 1.Item: SF519
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 3 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.125KG
- 6.Carton size: 30*30*20cm




Specifications

- 1.Item: SF520
- 2.Material: 316 Stainless steel
- 3.Product Size: 285*35*5mm with 3 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.125KG
- 6.Carton size: 30*30*20cm



Classic Stainless/Brass Directional




Specifications

- 1.Item: SF521
Casting
- 2.Material: 316 Stainless steel
- 3.Product Size:285*35*5mm with
3 stems
- 4.Packing: 90pcs/carton(blister)
- 5.Net Weight: 0.125KG
- 6.Carton size: 30*30*20cm



Stainless steel plate





Stainless steel Plate




Specifications

- 1.Item: SF705
- 2.Material: 316L stainless steel; the surface with Brushed/Matte/polished/satin finished
- Product Size: 300*300*2mm plate; with 4pcs top strips, the strip size is 290*35*5mm;
- 4.Packing:5pcs/ctn; Bulk;





Stainless steel plate




Specifications

- 1.Item: SF706
- 2.Material: 316L stainless steel; the surface with Brushed/Matte/polished/satin finished
- Product Size: 300*300*2mm plate; with 25pcs top tactiles, the tactile size is 35*25*4.5mm;
- 4.Packing:5pcs/ctn; Bulk;





Stainless steel plate




Specifications

- 1.Item:SF701
- 2.Material:316L Stainless steel with 72 SS studs
- 3.Product Size:600*300*7mm;Matte finished;
- 4.Packing:5pcs/ctn,Bulk.






Stainless steel with Carborundum plate



Specifications

- 1.Item:SF702
- 2.Material:..Material:316L Stainless steel with Carborundum insert;
- 3.Product Size:600*300*7mm;Matte finished;
- 4.Packing:5pcs/ctn,Bulk.





Specifications

- 1.Item:SF703(Carpet tactile plate)
- 2.Material:..Material:316L Stainless steel
- 3.Product Size:600*300*7mm; Matte finished;
- 4.Packing:3pcs/ctn,Bulk.



Stair nosing (Stair Nosing with All colors Carborundum insert)

Stair treads or nosings are made from non-slip silicon carbide or other special non-slip materials to help ensure pedestrian safety.

Aluminium and Solid Brass safety stair tread nosings are suitable for both internal and external applications.

We manufacture a wide range of profiles(over 200 moulds) to be architecturally appealing for various applications.

These profiles also are designed to accommodate the requirements of different international standards and building codes.


Colour choice: Black, Yellow, Grey, White, Red, or Brown. Other colors can be made to order.

Lengths: Customized length of stair nosing according to your requirement.



Stair nosing

(Stair Nosing with All colors Carborundum insert)




Specifications

- 1.Item: **SF-75×10-4CB4**
- 2.Product Size:75×10mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)




Specifications

- 1.Item: **SF-75×10-4CB2**
- 2.Product Size:75×10mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-75×20-4CB**
- 2.Product Size:75×20mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-83×37-4C2B




SF-83×37-4C2G-1



Stair nosing

(Stair Nosing with All colors Carborundum insert)




Specifications

- 1.Item: **SF-75×40-4C**
- 2.Product Size: 75×40×4.9mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



SF-75×40-4CB




SF-75×40-4CG




Stair nosing

(Stair Nosing with All colors Carborundum insert)




Specifications

- 1.Item: **SF-50×5-3C**
- 2.Product Size:SF-50×5×2mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



SF-50×5-3CY




SF-50×5-3CB



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-75×10-5CB**
- 2.Product Size:75×10mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



SF-75×10-5CG-1




SF-75×10-5CB



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-75×10-4CG3**
- 2.Product Size:75×10mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



SF-75×10-4CG3-1




SF-75×10-4CG3



Stair nosing

(Stair Nosing with All colors Carborundum insert)




Specifications

- 1.Item: SF-55×21-C2
- 2.Product Size:SF-55×21×5mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



SF-55×21-C2B



SF-55×21-C2G



SUPER GRIP INDUSTRIAL FIBERGLASS (GRP) STAIR NOSING

Custom size manufactured to order



Specifications

- 1.Item: **SF-7210B-F**
- 2.Product Size:75×10mm,
3. OEM
- 4.Material: Glass reinforced polymer (GRP), aluminium oxide grit coated



Specifications

- 1.Item: **SF-7210Y-F**
- 2.Product Size:75×10mm,
3. OEM
- 4.Material: Glass reinforced polymer (GRP), aluminium oxide grit coated



Specifications

- 1.Item: **SF-7231Y-F**
- 2.Product Size:75×31mm,
3. OEM
- 4.Material: Glass reinforced polymer (GRP), aluminium oxide grit coated



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-55×3-C1B




SF-55×3-C1W



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-75×10-1C**
- 2.Product Size:75×10×50mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-75×10-1CG




SF-75×10-1CP



SF-75×10-1CR



SF-75×10-1CW





SF-75×10-1CG-1



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-57×10-1C**
- 2.Product Size:57.6×10×5mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-57×10-1CB



SF-57×10-1CW



SF-57×10-1CR



SF-57×10B-1CB



SF-57×10-1CG




SF-57×10-1CG-1



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-55×21-C1**
- 2.Product Size:55×21.2×1.2mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-55×21-C1Y



SF-55×21-C1B



SF-55×21-C1R



SF-55×21-C1W



SF-55×21-C1G-1





SF-55×21-C1G



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-58×24-C1**
- 2.Product Size:58.5×42.2×23.7mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-58×24-C1B



SF-58×24-C1Y



SF-58×24-C1G



SF-58×24-C1W




SF-58×24-C1G-1



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-75×20-4CB**
- 2.Product Size:75×20mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-75×20-C2B



SF-75×20-C2Y-1



SF-75×20-C2W



SF-75×20-C2G





SF-75×20-C2G-1



Stair nosing

(Stair Nosing with All colors Carborundum insert)




Specifications

- 1.Item: SF-75×10-4C1
- 2.Product Size:76×9.8×4.8mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment




Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-75×10B-4CB1



SF-75×10-4CY1



SF-75×10-4CG1



SF-75×10B-4CW1



SF-75×10-4CB1




SF-75×10-4CW1



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: **SF-76×20-4C**
- 2.Product Size:76×20×4.8mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-76×20B-4CY



SF-76×20-4CB



SF-76×20-4CG-1



SF-76×20B-4CG




SF-76×20-4CG



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: SF-77×21-C2BL1
- 2.Product Size:77×21×4mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment




Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-77×21-C2GL1-1



SF-77×21-C2YL1



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: SF-67×32C1
- 2.Product Size:67×32mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-67×32CB1



SF-67×32CY1



SF-67×32CW1




SF-67×32CG1-1



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: SF-54×10-1C
- 2.Product Size:54×9.5mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-54×10-1CY



SF-54×10-1CY-2



SF-54×10-1CG



SF-54×10-1CR



SF-54×10-1CW



SF-54×10-1CB






SF-54×10-1CG-1



Stair nosing

(Stair Nosing with All colors Carborundum insert)



- 1.Item: SF-50x10C
- 2.Product Size:50x101mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment.




Stair nosing

(Stair Nosing with All colors Carborundum insert)



SF-50x10CB



SF-50x10CG-1



SF-50x10C



SF-50x10CW



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: SF930
- 2.Product Size:60x10mm
- 3..Material:Brass



Specifications

- 1.Item: 920
- 2.Product Size:15x16 / 11x11mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment.




Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: SF901-2
- 2.Product Size:mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Specifications

- 1.Item: SF-12×30
- 2.Product Size:12×30mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment



Stair nosing

(Stair Nosing with All colors Carborundum insert)



Specifications

- 1.Item: SF-45×21PU-B
- 2.Product Size:45×21×5mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment.



Specifications

- 1.Item: SF-45×21PU-G2
- 2.Product Size:45×21×5mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment.



Specifications

- 1.Item: SF-75×35PU-B
- 2.Product Size:75×55×35×10mm,
3. OEM
- 4.Silver Anodised Aluminium surface treatment.



Anti Slip Tapes

25mm-150mm Wide Self Adhesive Anti Slip Tape – 10m



Safetyflooring range of anti slip tapes are durable, preventing from slips and falls. Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing. Our slip tapes have an extremely high P5 slip resistance rating when tested to AS1428:2013



Anti Slip Tapes

25mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-901
- 2.Product Size: 25mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-902
- 2.Product Size: 25mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-903
- 2.Product Size: 25mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Anti Slip Tapes

25mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-904
- 2.Product Size: 25mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-905
- 2.Product Size: 25mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-906
- 2.Product Size: 25mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Anti Slip Tapes

50mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-907
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-908
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-909
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Anti Slip Tapes

50mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-910
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-911
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-912
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Anti Slip Tapes

100mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-913
- 2.Product Size: 100mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-914
- 2.Product Size: 100mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-915
- 2.Product Size: 100mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Anti Slip Tapes

100mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-916
- 2.Product Size: 100mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-917
- 2.Product Size: 100mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-918
- 2.Product Size: 100mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Anti Slip Tapes

150mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-919
- 2.Product Size: 150mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-920
- 2.Product Size: 150mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-921
- 2.Product Size: 150mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Anti Slip Tapes

150mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-922
- 2.Product Size: 150mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-923 (Fluorescent sand)
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-924
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Anti Slip Tapes

150mm Wide Self Adhesive Anti Slip Tape – 10m



Specifications

- 1.Item: SF-925 (White)
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Specifications

- 1.Item: SF-926(Clear)
- 2.Product Size: 50mm×10m
- 3.Manufactured with a silicon carbide impregnated anti-slip surface and a pressure sensitive self adhesive backing.



Skate Deterrent



Safetyflooring range of skate deterrents are designed to handle large impact when come into contact with skateboards. Manufactured from 316 marine grade stainless steel, they are available in a multitude of styles including domes, cylindrical knobs or bull-nosed mountable ribs or recessed fins. Easy to install, the Safetyflooring range of skateboard deterrents are able to be installed on chamfered and square edges as well as most substrates including timber, concrete, brick and steel.



Skate Deterrent



Specifications

- 1.Item: SF-SD101
- 2.Material: 316L Stainless steel
- 3.Product Size: 30*20mm, with 20*10.0mm SS stem.
- 4.Packing: 100pcs/ctn; Bulk.



Specifications

- 1.Item: SF-SD102
- 2.Material: 316L Stainless steel
- 3.Product Size: 20*10mm, with 30*6.0mm SS stem.
- 4.Packing: 100pcs/ctn; Bulk.



Skate Deterrent



Specifications

- 1.Item: SF-SD103
- 2.Material: 316L Stainless steel
- 3.Product Size: 20*10mm, with 30*6.0mm SS stem.
- 4.Packing: 500pcs/ctn; Bulk.



Specifications

- 1.Item: SF-SD104
- 2.Material: 316L Stainless steel
- 3.Product Size: 20*10mm, with 30*6.0mm SS stem.
- 4.Packing: 500pcs/ctn; Bulk.



Specifications

- 1.Item: SF-SD105
- 2.Material: 316L Stainless steel
- 3.Product Size: 20*10mm, with 30*6.0mm SS stem.
- 4.Packing: 500pcs/ctn; Bulk.



Skate Deterrent



Specifications

- 1.Item: SF-SD106
(wire drawing polishing process)
- 2.Material: 316L Stainless steel
- 3.Product Size: 120*15*10*30mm,
with 30*6.0mm SS stem.
- 4.Packing: 100pcs/ctn; Bulk.



Specifications

- 1.Item: SF-SD106M
(mirror polishing process)
- 2.Material: 316L Stainless steel
- 3.Product Size: 120*15*10*30mm,
with 30*6.0mm SS stem.
- 4.Packing: 100pcs/ctn; Bulk.



Skate Deterrent



Specifications

- 1.Item: SF-SD107
(wire drawing polishing process)
- 2.Material: 316L Stainless steel
- 3.Product Size: 120*20 with
30*6.0mm SS stem.
- 4.Packing: 100pcs/ctn; Bulk.



Specifications

- 1.Item: SF-SD108
(wire drawing polishing process)
- 2.Material: 316L Stainless steel
- 3.Product Size: 120*15*10*30mm,
with 30*6.0mm SS stem.
- 4.Packing: 100pcs/ctn; Bulk.



Skate Deterrent



Specifications

- 1.Item: SF-SD109
(wire drawing polishing process)
- 2.Material: 316L Stainless steel
- 3.Product Size: 80*30mm
- 4.Packing: 100pcs/ctn; Bulk.



Specifications

- 1.Item: SF-SD110
(wire drawing polishing process)
- 2.Material: 316L Stainless steel
- 3.Product Size: 80*30mm, with
10.0mm hole
- 4.Packing: 100pcs/ctn; Bulk.



Black/Yellow Rubber Wheel Stops




Specifications

- 1.Item: SF1010
- 2.Material: Rubber
- 3.Product Size:1650×135×100mm






OUR FACTORY PHOTO ALBUM





OUR FACTORY PHOTO ALBUM





CONTACT US

Email: sales@safetyflooring.com.cn (Tony)
sales1@safetyflooring.com.cn (Allen)

Tel: +86-(0)574 8825 6569

Fax: +86-(0)574 8806 0067

Mobile: +86-188 6866 1071
+86-189 5839 6610

Email: sales@safetyflooring.com.cn
sales1@safetyflooring.com.cn

Website: www.safetyflooring.com.cn

Add: Yunlong Industrial Park, Yinzhou District,
Ningbo, China

Thank you!

welcome to visit us